

Application (JARPA) Form [help]

WASHINGTON STATE

US Army Corps of Engineers • Seattle District Joint Aquatic Resources Permit

AUENCY	USE	ONL	١
--------	-----	-----	---

Date received:

1 1 1		
1 1 1 1	Agency reference #RECEIVED Tax Parcel #(s):	_
!	MOLL do -	

USE BLACK OR BLUE INK TO ENTER ANSWERS IN WHITE SPACES BELOW.

Part 1-Project Identification

Unique project information that makes it easy to identify. [help]	HABITAT PROGRAM
1a. Unique Project Identifier Number (UPI #) [help] • Don't have one yet? Get one at http://www.epermitting.wa.gov or call the at (800) 917-0043.	
1b. Project Name (Examples: Smith's Dock or Seabrook Lane Development)	[help]
Decommission Greer Ditch	·.

Part 2-Applicant

The person or organization legally responsible for the project. [help]

2a.	Name (Last, First, M	widdle) and Organizatio	on (if applicable)			
	Cittitas C	County Conservation I	District manager	• • • • • • • • • • • • • • • • • • •	·	
2b.	Mailing Address	(Street or PO Box)				
		(
2c.	City, State, Zip					
Elle	nsburg, WA 98926	<u> </u>				
2d.	Phone (1)	2e. Phone (2)	2f. Fax	2g. E-mail		
	. <4	()				

Part 3-Authorized Agent or Contact

Person authorized to represent the applicant about the project. (Note: Authorized agent(s) must sign 11b. of this application.) [help]

3a. Name (Last, F	irst, Middle) and Organizati	on (if applicable)		
3b. Mailing Addr	ess (Street or PO Box)			
3c. City, State, Z	Lip ·			
			•	
3d. Phone (1)	3e. Phone (2)	3f. Fax	3g. E-mail	Production of Application of the Control of the Con
	()			

Part 4—Propert	y Owner(s) [help]		
Contact information	for people or organization	ns owning the proper	rty(ies) where the project will occur. [help]
☐ Same as applica	nt. (Skip to Part 5.)		
Repair or mainte	nance activities on existir	ng rights-of-way or ea	asements. (Skip to Part 5.)
There are multiperadditional prope		plete the section belo	ow and use <u>JARPA Attachment A</u> for each
4a. Name (Last, Fire	st, Middle) and Organization	ો (if applicable)	
4b. Mailing Addres	SS (Street or PO Box)		
4c. City, State, Zip	<u> </u>		
Ellensburg, WA 989	926	18	
4d. Phone (1)	4e. Phone (2)	4f. Fax	4g. E-mail
	(.)	()	
540 Riverbottom R 5b. City, State, Zip Ellensburg, WA 989 5c. County [help] Kittitas	oad O (If the project is not in a city of 926	or town, provide the name	other location information in 5n.) [help] of the nearest city or town.) [help]
5d. Provide the se	ction, township, and rang		
1/4 Section	Section		vnship Range
	15 itude and longitude of the 3922 N lat. / -122.89142 W lor	•	18 pi
46.96969; -120.561	34		
•	cel number(s) for the proj ty assessor's office can provide		·
5g. Indicate the tvi	pe of ownership of the pro	operty. (Check all that a	apply.) [help]
State Owner	ed Aquatic Land	Tribal 🔀 Priva	ite

٠.

promoted/- residence


Name		Malling Address	Tax Parcel # (if known)
·			**************************************
		\$100 Marketine 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	And the state of t
		and the second s	· ·
			and the second s
			and the second s
	•	A CONTRACTOR OF THE CONTRACTOR	Topological Control of the Control o
			According 1999 to the According to the A
i. Is any part of the pr	roject area v	within a 100-year flood plain? [help]	ner verreit (1000 (1000) (1000 (1000)
⊠ Yes □ No	☐ Ďọn't		
	vegetation	and habitat conditions on the property. [help]	
he existing vegetation of the existing vegetation of the landscaped trees and (Riverbottom Road of Riverbottom Riv	located dow) in an unde id. The exis nder Riverb	roject area primarily consists of nonnative reed constream, near the farm access road. Fogarty Diersized culvert, then receives irrigation spill from a sting Greer Ditch diversion structure is located at nottom Road. About 30 feet downstream from Rividowner access to his pasture.	a ditch along the southwest the southeast corner where
he existing vegetation to ome landscaped trees and (Riverbottom Road ide of Riverbottom Road ogarty Ditch crosses undersized culvert provide agarty Ditch was historogarty Ditch eventually ew fish screen facility to ogarty Ditch diverge, wroject to provide addition een opened by screen akima River to allow wff-channel rearing habit	located down) in an under the exist of the land rically used rically u	vinstream, near the farm access road. Fogarty Di ersized culvert, then receives irrigation spill from a sting Greer Ditch diversion structure is located at ottom Road. About 30 feet downstream from Riv	a ditch along the southwest the southeast corner where verbottom Road, another complexity or riparian habitate the USBOR constructed at, Sorenson Creek and of the Yakima River. In a this project worksite) has ligate was placed at the tire system can be used as
the existing vegetation of the existing vegetation of the landscaped trees and (Riverbottom Road ide of Riverbottom Road ogarty Ditch crosses upondersized culvert provide agarty Ditch was historogarty Ditch eventually ew fish screen facility to ogarty Ditch diverge, wroject to provide additional een opened by screen akima River to allow well-channel rearing habitine Yakima River.	located down) in an under down the existence of the land of the land of the land of the land of the later to flow tat; which he later to flow tat;	ersized culvert, then receives irrigation spill from a sting Greer Ditch diversion structure is located at ottom Road. About 30 feet downstream from Rivdowner access to his pasture. as an irrigation ditch and has very little instreamns on Creek and they flow together to a point whe largest irrigator on Fogarty Ditch. From that point on Creek flowing back into an active side channel bitat, the upper reach of Fogarty Ditch (including a diversions and removing barriers. A small head in upper Fogarty Ditch year round so that the enters as been identified as a limiting factor for salmonic	a ditch along the southwest the southeast corner where verbottom Road, another complexity or riparian habitate the USBOR constructed at, Sorenson Creek and of the Yakima River. In a this project worksite) has ligate was placed at the tire system can be used as
The existing vegetation of the existing vegetation of the second (Riverbottom Road ide of Riverbottom Road ogarty Ditch crosses undersized culvert providing the provided of the second point of the second po	located down) in an under down under Riverb des the land rically used rigins Sorer or serve the rically used and attention of the later to flow tat; which his property is converted water used by the later used the later used the later used by the	ersized culvert, then receives irrigation spill from a sting Greer Ditch diversion structure is located at ottom Road. About 30 feet downstream from Rivdowner access to his pasture. as an irrigation ditch and has very little instreamns on Creek and they flow together to a point whe largest irrigator on Fogarty Ditch. From that point on Creek flowing back into an active side channel bitat, the upper reach of Fogarty Ditch (including a diversions and removing barriers. A small head in upper Fogarty Ditch year round so that the enters as been identified as a limiting factor for salmonic	a ditch along the southwest the southeast corner where verbottom Road, another complexity or riparian habitate the USBOR constructed at, Sorenson Creek and of the Yakima River. In a this project worksite) has ligate was placed at the tire system can be used as dis recovery in this reach of the Yakima River) and was ersion to a dug well and no
he existing vegetation to ome landscaped trees and (Riverbottom Road ide of Riverbottom Road ogarty Ditch crosses up andersized culvert provide ogarty Ditch was historogarty Ditch eventually ew fish screen facility to ogarty Ditch diverge, wroject to provide additionen opened by screen akima River to allow with the Yakima River. 5k. Describe how the property of the divergent of the previously displayed to downstream onger need water converse the potential to entrans.	located down) in an under down under Riverb des the land rically used rigins Sorer or serve the with Sorensconal fish haling all of the ater to flow tat; which his property is converted water used an water used eyed through ain fish.	vinstream, near the farm access road. Fogarty Diesized culvert, then receives irrigation spill from a sting Greer Ditch diversion structure is located at ottom Road. About 30 feet downstream from Rividowner access to his pasture. as an irrigation ditch and has very little instreamenson Creek and they flow together to a point whe largest irrigator on Fogarty Ditch. From that point on Creek flowing back into an active side channel bitat, the upper reach of Fogarty Ditch (including ediversions and removing barriers. A small head in upper Fogarty Ditch year round so that the entary been identified as a limiting factor for salmonic currently used. [help] er from Fogarty Ditch (which diverts water from the stringstors have changed their point of diverts.	a ditch along the southwest the southeast corner where verbottom Road, another complexity or riparian habitate the USBOR constructed at, Sorenson Creek and of the Yakima River. In a this project worksite) has ligate was placed at the tire system can be used as dis recovery in this reach of the Yakima River) and was ersion to a dug well and no er ditch is unscreened and

5m. Describe the structures (above and below ground) on the property, including their purpose(s). [help]

Riverbottom Road is immediately north of the project area and work is likely to occur in the right of way. There is a power pole near the head of Greer Ditch along the road as well. A farm access road crosses Fogarty Ditch just south of the head of Greer Ditch. The head of Greer Ditch has a concrete structure with wooden checkboards that has previously been used to divert flow down the ditch. The adjacent pasture has a wooden fence.

5n. Provide driving directions from the closest highway to the project location, and attach a map. [help]

From I-90, take the Canyon Road exit heading toward Ellensburg. From the Canyon Road, turn left onto Umptanum Road, cross the Yakima River then turn right on Riverbottom Road. The project area is about 1/5 mile down Riverbottom Road, as you start to go down the hill and before you go around the corner. The project is located on the right side of the road, just as Fogarty Ditch crosses under Riverbottom Road.



Part 6-Project Description


6a. Summarize the overall project. You can provide more detail in 6d. [help]

The proposed project will remove an unscreened and unmetered irrigation diversion from Fogarty Ditch. The project will remove approximately 4 cubic yards of concrete (1 cy within the OHWM of Fogarty Ditch) and plug the head of Greer Ditch with approximately 20 cy of nearby fill material such that it effectively blocks flow from going from Fogarty Ditch into Greer Ditch.


This project will complete the conversion of Fogarty Ditch to a more fish friendly water course by removing the last unscreened diversion in this side channel to the Yakima River.



This photo was taken from Riverbottom Road looking down stream at Fogarty Ditch and the farm access road. The head of Greer Ditch takes off from the center of the photo toward the left.



This photo is taken looking across Fogarty Ditch, at the head structure of Greer Ditch as it flows between the road embankment and the fenced pasture.



This photo shows a close up of the head structure with Fogarty Ditch in the foreground and Greer Ditch flowing toward the upper right in this photo.

·	enter constitute. William or substitute transmission approximation and constitute to the second	The second secon		and the second s	The second control of	
6b.	Indicate the project	ct category. (Check	all that apply.) [help]			, i i proposanti per se se spess
	Commercial	Residential	☐ Institutional	☐ Transportation	☐ Recreational	
	Maintenance	· ⊠ Environmenta	I Enhancement			

		P. M. J. J. J. Markel	
6c. Indicate the major elem-	ents of your project. (Check	(all that apply.) [neit]	
☐ Aquaculture ☐ Bank Stabilization ☐ Boat House ☐ Boat Launch ☐ Boat Lift ☐ Bridge ☐ Bulkhead ☐ Buoy ☐ Channel Modification	☐ Culvert ☐ Dam / Weir ☐ Dike / Levee / Jetty ☑ Ditch ☐ Dock / Pier ☐ Dredging ☐ Fence ☐ Ferry Terminal ☐ Fishway	Float Geotechnical Survey Land Clearing Marina / Moorage Mining Outfall Structure Piling Retaining Wall (upland)	☐ Road ☐ Scientific Measurement Device ☐ Stairs ☐ Stormwater facility ☐ Swimming Pool ☐ Utility Line
	n diversion from Sorenson	Creek and plug ditch.	
Most of the work will occur was the headgate at the Yakima time of construction. Ecology Fogarty Ditch to isolate flow salvage as necessary. Turb Fogarty Ditch. Once the wooden head approved disposal site. Fill water from entering and flow appropriate seed mix for longer propriate seed mix for longer prop	River for Fogarty Ditch will be	in. Il be closed to minimize flows ing or other similar coffer mat Greer Ditch. The work area into adjacent field to filter fine red, the existing vegetation will hauled off site, outside of the dat grade in Greer Ditch to effon completion, the project are mulched for short term erosice.	will be dewatered and fish material prior to reentering be grubbed and the 100 year floodplain in an fectively isolate flowing a will be reseeded with an on control. Upon project
completion, the headgate to	Fogarty Ditch will be reope	ened to provide side charmer	habitat.
stage.	ructed in phases or stages, use	JARPA Attachment D to list the star	t and end dates of each phase or e JARPA Attachment D
	r 1, 2009 End date: D		
3f. Describe the purpose of	the work and why you war	nt or need to perform it. [help]	D. J. S. J. B. P. Lander
Ditch/Sorenson Creek comp	olex. Implementation of this adly side channel, providing users that were using Gree	ned and unmetered irrigation is project will complete the cor productive rearing habitat for Ditch have recently converte their irrigation water.	r salmonids and other
6g. Fair market value of the	e project, including material	ls, labor, machine rentals, etc	. [help]
\$10,000			

	gency providing funds				
☐ Yes ⊠ No	☐ Don't know				
art 7–Wetlands	: Impacts and	Mitigation			
	are wetlands or w	etland buffers on or a	djacent to the p	roject area.	
7a. Describe how the	project has been	designed to avoid an	d minimize adv	erse impacts to v	wetlands. [help]
⊠ Not applicable)	`			
Greer Ditch is an artificial in a second in the second in	rerbottom Road. I	structed to convey irri mpacts will be addres	sed in Part 8.	o is in partionii	ou due to roudway
7h Mill the project in	nnoct wetlands?	halnl			
7b. Will the project in ☐ Yes ☐ No	Don't know	. reibi			
7c. Will the project in		ers? [help]		to the second	
Yes No	Don't know	OTO LICENTA			
7d. Has a wetland de		een prepared? [help]			
		sheets, with the JARPA pa	ackage.		
☐ Yes ☐ No					
	ls been rated usin	g the Western Washir	igton or Eastern	n Washington W	etland Rating
System? [help]		and figures with the JARPA	1 nackade		
Yes No	Don't know	and lightes with the oracle	· paditago.		
	CLLCO*	n to compensate for a	nv adverse imp	acts to wetlands	? [help]
	plan with the JARPA		٠,		
☐ Yes ☐ No	☐ Not applical	ble		,	
of the impact; and compensatory mi	the type and amo	and rating of each we ount of compensatory a similar table, you ma help)	mitigation prop	osed. If you are	submitting a
Activity causing impact (fill, drain, excavate, flood, etc.)	Wetland type and rating category ¹	Impact area (sq. ft. or acres)	Duration of impact ²	Proposed mitigation type ³	Wetland mitigation are (sq. ft. or acre
1					
		1	1		1

applicable. ³ Creation (C), Re-es	tablishment/Rehabili	tation (R), Enhancem	ent (E), Preservation	(P), Mitigation Bank/In-lieu	fee (B)
Page numbe	r(s) for similar inf	ormation in the m	itigation plan, if a	vailable:	
				nature of the fill materied into the wetland. [h	
		entified in 7g., des nd where the mate		ion method, type and sed. [help]	amount of material in
				·	
· ·					
	hat the compens s used to design		lan is meant to ac	complish, and describ	e how a watershed
	68 4 4#	48 48		n BBCan at	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
	•			and Mitigation	alta confinencia V no con
				7 for information relate	
	**************************************			ea. (If there are none	
(help)	the project is de	signed to avoid a	nd minimize adve	rse impacts to the aqu	latic environment.
☐ Not application	able				
designed to enhan	nce fish and wildli sed project is the no previously use	fe habitat while particular fast step to ensured Greer Ditch to d	roviding more effice te fish are no long convey their irriga	hannel of the Yakima cient irrigation water during er entrained into irrigation water have conver at this location.	elivery to the water ation systems. All of
8b. Will your proje	ect impact a wate	rbody or the area	around a waterb	ody? [help]	
⊠ Yes □ I	No				
8c. Summarize in					
Activity causing impact (clear, dredge, fill, pile drive, etc.)	Waterbody name	Impact location ¹	Duration of impact ²	Amount of material to be placed in or removed from waterbody	Area (sq. ft. or linear ft.) of waterbody directly affected

A Secretary Control

Fill for Coffer	Fogarty	Head of Greer	Temporary	<5 cubic yards of	30 square feet
Dam	Ditch	Ditch		fill < 4 cy total, <1 cy	8 square feet
Concrete	Fogarty	Head of Greer	Permanent		0.0422
	Ditch	Ditch		from within	\ \
removal	Ditori			OHWM	10 square feet
- Dild	Greer Ditch	Head of Greer	Permanent	20 cy total, <1 cy	10 square reet
Plug for Ditch	Gleet Ditton	Ditch/Bank of		within OHWM	
		Sorenson Cr			
		Sorenson			
waterbody and indica Indicate the time (in m	onths or years, as	appropriate) the water	body will be measu		K. Citter permanent
waterbodies?	ared a mitigatio (heip) he plan with the JA		ate for the proje	ecț's adverse impacts	(O Horrwood)
	57.11.1	1:blo			
☐ Yes ☐ N	o 🛛 Not app	III CADIC		ccomplish Describe	how a watershed
e. Summarize who approach was to the street was the street was to the street was to the street was the street was to the street was the street w	at the compensused to design to modeled 7i., you	the plan. do not need to restate	your answer here.	accomplish. Describe	
					nount (in cubic yards)
you will use, at Concrete ecology b Greer Ditch from flo graded mix of mate	olocks with plas owing water. T erial such that fl	tic sheeting are lik he plug in Greer D owing water no lor	ely to be used fitch will come fr nger is diverted	or the coffer material rom a nearby source a down Greer Ditch.	to isolate the head of and will consist of a wel
you will use, at Concrete ecology to Greer Ditch from floor graded mix of mate	plocks with plas owing water. The erial such that fi	tic sheeting are lik he plug in Greer D owing water no lor g activities identifie	ely to be used fi itch will come fr nger is diverted ed in 8c., descril	or the coffer material rom a nearby source a down Greer Ditch. be the method for excaterial will be dispose	to isolate the head of and will consist of a well and will consist of a well available of a well and will consist of a well and will be a well as
you will use, at Concrete ecology k Greer Ditch from flo graded mix of mate Bg. For all excava type and amount A tracked excavatoremoved from the	olocks with plas owing water. The erial such that fi eting or dredging ount of material	tic sheeting are lik he plug in Greer D owing water no lor g activities identifie you will remove, ar	ely to be used fitch will come fr itch will come fr inger is diverted and in 8c., described where the ma	or the coffer material rom a nearby source a down Greer Ditch. be the method for excaterial will be dispose	to isolate the head of and will consist of a well and will consist of a well available of a well and will consist of a well and will be a well as
you will use, at Concrete ecology keer Ditch from flooranded mix of materials. For all excavative and amount to tracked excavatoremoved from the year floodplain.	olocks with plas blocks with plas owing water. The erial such that fill eting or dredging unt of material your or with a thumb head structure	tic sheeting are like the plug in Greer Downing water no lor gractivities identified ou will remove, are at Greer Ditch will at ion	ely to be used fitch will come fr itch will come fr nger is diverted ed in 8c., descril nd where the ma equipment will be disposed of	or the coffer material rom a nearby source a down Greer Ditch. be the method for excaterial will be dispose be used to perform the in an approved location.	to isolate the head of and will consist of a well availing or dredging, d. [help] his work. Concrete on outside of the 100
you will use, at Concrete ecology be Greer Ditch from flooraded mix of mater and a more and a more and a more and a more and a tracked excavator are moved from the year floodplain.	blocks with plas blocks with plas owing water. The erial such that fill atting or dredging unt of material y or with a thumb head structure	tic sheeting are like the plug in Greer Dowing water no lor gractivities identified you will remove, are or similar piece of at Greer Ditch will ation	ely to be used fitch will come fr itch will come fr nger is diverted ed in 8c., descril nd where the ma equipment will be disposed of	or the coffer material rom a nearby source a down Greer Ditch. be the method for excaterial will be dispose be used to perform the in an approved location of the content	to isolate the head of and will consist of a well avating or dredging, d. [help] his work. Concrete on outside of the 100
you will use, at Concrete ecology be Greer Ditch from flooraded mix of mater and a more and a more and a more and a more and a tracked excavator are moved from the year floodplain.	blocks with plas blocks with plas owing water. The erial such that fill atting or dredging unt of material y or with a thumb head structure	tic sheeting are like the plug in Greer Dowing water no lor gractivities identified you will remove, are or similar piece of at Greer Ditch will ation	ely to be used fitch will come fr itch will come fr nger is diverted ed in 8c., descril nd where the ma equipment will be disposed of	or the coffer material rom a nearby source a down Greer Ditch. be the method for excaterial will be dispose be used to perform the in an approved location of the content	to isolate the head of and will consist of a well cavating or dredging, d. [help] his work. Concrete on outside of the 100
you will use, at Concrete ecology be Greer Ditch from flooraded mix of mater and a more and a more and a more and a more and a tracked excavator are moved from the year floodplain.	olocks with plas owing water. The rial such that fill the rial such that a thumb head structure the rial such that is the rial such that fill that is the rial such that is the rial such that fill that is the rial such that i	tic sheeting are like the plug in Greer Dowing water no lor gractivities identified you will remove, are or similar piece of at Greer Ditch will ation	ely to be used fitch will come fr itch will come fr nger is diverted ed in 8c., descril nd where the ma requipment will be disposed of reviewer(s) und	or the coffer material rom a nearby source a down Greer Ditch. be the method for excaterial will be dispose be used to perform the in an approved location.	to isolate the head of and will consist of a well avating or dredging, d. [help] his work. Concrete on outside of the 100

• •	re any of the wetlands or waterbodies identified cology's 303(d) List? [help] If yes, list the parameter(s) below. If you don't know, use Washington Department of Ecol	(ed in Part 7) or Part 8 on the V	Vashington Department of
• •	cology's 303(d) List? [help] If yes, list the parameter(s) below.	ed in Part 7	or Part 8 on the V	Vashington Department of
6	If yes, list the parameter(s) below.			
	· · ·			
		ogy's Water	Quality Assessment to	ols at:
	http://www.ecy.wa.gov/programs/wq/303d/.			
	Yes 🛛 No			
• \A/	/hat U.S. Geological Survey Hydrological Unit	Code (HU	C) is the project in	? [heip]
	Go to http://cfpub.epa.gov/surf/locate/index.cfm to help			
'030C	001 - Upper Yakima River			
J. W	/hat Water Resource Inventory Area Number	(WRIA#) i	s the project in? [nelp)
6	Go to http://www.ecy.wa.gov/services/gis/maps/wria/w	ria.htm to find	the WRIA#.	
	pper Yakima			
	pper rakina			
tur	/ill the in-water construction work comply with rbidity? [help] Go to http://www.ecy.wa.gov/programs/wq/swqs/criteri Yes No Not applicable			
	Yes ☐ No ☐ Not applicable the project is within the jurisdiction of the Shor	rolina Mane	agement Act what	is the local shoreline
i. It ti en	the project is within the jurisdiction of the Shor hvironment designation? [help]	entic Mari	agement Act, what	
	If you don't know, contact the local planning department	ent.		
•	For more information, go to: http://www.ecy.wa.gov/pr	rograms/sea/	sma/laws_rules/173-2	6/211 designations.html.
] Rural □ Urban □ Natural □ Ac	quatic [Conservancy	Other
n. W	/hat is the Washington Department of Natural	Resource	s Water Type? [he	[al
y e	Go to http://www.dnr.wa.gov/BusinessPermits/Topics/	ForestPractic	esApplications/Pages	fp watertyping.aspx for the Forest
	Practices Water Typing System.			
]S ⊠F □Np □Ns	3		
m	/ill this project be designed to meet the Washi nanual? [help] If no, provide the name of the manual your project is d			y's most current stormwater
		lesigned to m	1001	
	Yes No	nical for Fr	etorn Washington	
	ame of manual: Stormwater Management Ma			
. If y	you know what the property was used for in th	ne past, de	scribe below. [help]
ne su	urrounding properties have been used for rura	I home site	es and agricultural	production and/or pasture.

9j.	Has a cultural resource (archaeological) survey been performed on the project area? [help]						
	If yes, attach it to your JARPA package.						
	⊠ Yes □ No						
9k	. Name each species listed under the federal Endangered Species Act that occurs in the vicinity of the project area or might be affected by the proposed work. [help]						
Mic	ddle Columbia River Steelhead						
Co	Columbia River Bull Trout						
	Name each species or habitat on the Washington Department of Fish and Wildlife's Priority Habitats and Species List that might be affected by the proposed work. [help]						
Riparian, instream, lamprey, bull trout, Chinook salmon, coho salmon, rainbow trout/steelhead, westslope cutthroat trout, Columbia spotted frog, great blue heron, waterfowl concentrations, bald eagle, prairie falcon, deer, elk							

Part 10-Identify the Permits You Are Applying For

Use the resources and checklist below to identify the permits you are applying for.

- Online Project Questionnaire at http://apps.ecy.wa.gov/opas/.
- Governor's Office of Regulatory Assistance at (800) 917-0043 or help@ora.wa.gov.

10a. Compliance with the State Environmental Policy Act (SEPA). (Check all that apply.) [help]							
For more information about SEPA, go to www.ecy.wa.gov/programs/sea/sepa/e-review.html .							
☐ A copy of the SEPA determination or letter of exemption is included with this application.							
A SEPA determination is pending with (lead agency). The expected decision date is							
☐ I am applying for a Fish Habitat Enhancement Exemption. (Check the box below in 10b.)							
 Submit the Fish Habitat Enhancement Project form with this application. The form can be found at http://www.epermitting.wa.gov/Portals/ JarpaResourceCenter/images/default/fishenhancement.doc 							
☐ This project is exempt (choose type of exemption below).							
☐ Categorical Exemption. Under what section of the SEPA administrative code (WAC) is it exempt?							
◯ Other: WAC 197-11-835 (3) ~ less than 50 cy of material excavated							
SEPA is pre-empted by federal law. [help]							
10b. Indicate the permits you are applying for. (Check all that apply.) [help]							
LOCAL GOVERNMENT							
Local Government Shoreline permits:							
☐ Substantial Development ☐ Conditional Use ☐ Variance							
Shoreline Exemption Type (explain): WAC 173-27-040(p) enhance fish habitat thru decommissioning of unscreened diversion and WAC 173-27-040(i) operation/maintenance/construction of irrigation systems							
Other city/county permits:							
☑ Floodplain Development Permit ☐ Critical Areas Ordinance							
STATE GOVERNMENT							
Washington Department of Fish and Wildlife:							
☑ Hydraulic Project Approval (HPA) ☐ Fish Habitat Enhancement Exemption							
Washington Department of Ecology:							
Section 401 Water Quality Certification							
Washington Department of Natural Resources:							
Aquatic Resources Use Authorization							
FEDERAL GOVERNMENT							
United States Department of the Army permits (U.S. Army Corps of Engineers):							
☐ Section 404 (discharges into waters of the U.S.) ☐ Section 10 (work in navigable waters)							
United States Coast Guard permits:							
☐ General Bridge Act Permit ☐ Private Aids to Navigation (for non-bridge projects)							

Part 11-Authorizing Signatures

Signatures required before submitting the JARPA package.

I certify that to the best of my knowledge and belief, the in and accurate. I also certify that I have the authority to carr only after I have received all necessary permits.	formation provided in this application is true, complete, yout the proposed activities, and I agree to start work
I hereby authorize the agent named in Part 3 of this application(initial)	ation to act on my behalf in matters related to this
By initialing here, I state that I have the authority to grant a permitting agencies entering the property where the project related to the project (initial)	of is located to inspect the project site of any work
(Lael)	Nov. 12, 2009
11b. Authorized Agent Signature [help]	
I certify that to the best of my knowledge and belief, the in and accurate. I also certify that I have the authority to carr only after all necessary permits have been issued.	formation provided in this application is true, complete, yout the proposed activities and I agree to start work
Authorized Agent	Date
	Date
	Date
Authorized Agent	where the project is located to inspect the project site

18 U.S.C §1001 provides that: Whoever, in any manner within the jurisdiction of any department or agency of the United States knowingly falsifies, conceals, or covers up by any trick, scheme, or device a material fact or makes any false, fictitious, or fraudulent statements or representations or makes or uses any false writing or document knowing same to contain any false, fictitious, or fraudulent statement or entry, shall be fined not more than \$10,000 or imprisoned not more than 5 years or both.

If you require this document in another format, contact The Governor's Office of Regulatory Assistance (ORA). People with hearing loss can call 711 for Washington Relay Service. People with a speech disability can call (877) 833-6341.

